


Area around 2D must always be white



Non address data allowed above PINK line.

COMPANY NAME  
1234 MAIN STREET  
UNIT #5B  
MIAMI, FL 31143  
Logo and Address Must Fit within Blue Box  
@ 9pt Font

00000000

SHIP TO ADDRESS  
NEEDS TO FIT  
WITHIN THIS BOX  
IN ARIAL 12 POINT  
FOR ROOM FOR 6 LINES  
OF ADDRESSING

**Your**  
*Logo*

To: (CarrierTo)  
From: (CarrierFrom)  
Amount: (ASI\_DENOMINATION)  
Message: (CarrierMessage) - 30 CHARACTERS PER LINE

5 lines max (150 characters)

Keep Art / Text out of Purple Area unless it is located directly under the placed plastic.

PLASTIC

GRAY AREA FULLY CUSTOMIZABLE

**GRAY AREA FULLY CUSTOMIZABLE**

## OmniCard.com Card Carrier

### Card Carrier Basics

Front and back are customizable.

Final carrier is 8.5" x 11".

Artwork must be kept an 1/8" in from all sides. No bleeds allowed.

The gray area on the illustration indicated the area where your artwork can be placed.

Copy will print on top of your artwork so make sure artwork is light enough that the copy will be readable.

### Card Carrier File Specifications

Please provide packaged working files for the artwork in case adjustments need to be made to the artwork.

Acceptable formats are .psd, .ai or indd files.

Also provide a pdf of the file.

Design artwork in cmyk and 300 dpi images.

Using large areas of solid color may result in banding or inconsistent color. For best results add detail or texture to the background of the image.

Avoid using type smaller than 6 point type.